

LIGHTALK 1 (LA-60004)




Luminaire structure

- Die-cast aluminium end-caps and extruded aluminium housing pre-treated before powder coating ensuring high corrosion resistance
- Stainless steel frame
- Single cable entry
- Through wiring on request
- Stainless steel fasteners in grade 316
- Durable silicone rubber gasket
- Clear toughened 8 mm thick glass
- Integral control gear
- Recessing box is not included
- Suitable for walk-over with a maximum load of 500 kg



Lighttalk 1



Light symbol



AS

Product color



- 00
Stainless Steel

Product description

Without recessing box - 1250 mm

Technical information

Lamp	36 LED
Lamp type	LED
Dimming type	On/Off, 1-10V, DALI
EEC	A+
Material	Stainless Steel
Weight	7.8 kg

Luminaire	
Power	57 W
Lumen	4383 - 5140 lm
Efficacy	77 - 90 lm/W
CCT	3000K, 4000K
Drive current	500 mA
Optic	AS [27°x60°]

We reserve the right to make technical and design changes.

10:00, 29-01-2020

<https://www.ligman.com/lighttalk-1-la-60004/>

EUROPE
LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC
LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

LIGHTALK 1 (LA-60004)**Accessories**



Recessing box
A61051



Connector IP68
A62591

LIGHTTALK 1 (LA-60004)

Variant reference	Variant name	Lumen (Luminaire)
LA-60004-AS-W30-ND	LIGHTTALK 1 - LA-60004 - 36 LED - 57 W - 27°x60° - 3000K - On/Off - Stainless Steel	4383 lm
LA-60004-AS-W30-DI	LIGHTTALK 1 - LA-60004 - 36 LED - 57 W - 27°x60° - 3000K - 1-10V - Stainless Steel	4383 lm
LA-60004-AS-W30-DA	LIGHTTALK 1 - LA-60004 - 36 LED - 57 W - 27°x60° - 3000K - DALI - Stainless Steel	4383 lm
LA-60004-AS-W40-ND	LIGHTTALK 1 - LA-60004 - 36 LED - 57 W - 27°x60° - 4000K - On/Off - Stainless Steel	5140 lm
LA-60004-AS-W40-DI	LIGHTTALK 1 - LA-60004 - 36 LED - 57 W - 27°x60° - 4000K - 1-10V - Stainless Steel	5140 lm
LA-60004-AS-W40-DA	LIGHTTALK 1 - LA-60004 - 36 LED - 57 W - 27°x60° - 4000K - DALI - Stainless Steel	5140 lm

We reserve the right to make technical and design changes.

10:00, 29-01-2020

<https://www.ligman.com/lighttalk-1-la-60004/>

EUROPE

LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC

LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com