


NIKON 2 (NI-80511-A)




Luminaire structure

- Die-cast aluminium housing pre-treated before powder coating ensuring high corrosion resistance
- 6 mm thick front ring is available in stainless steel or aluminium
- Single cable entry
- Stainless steel fasteners in grade 316
- Durable silicone rubber gasket
- Clear toughened glass
- Include control gear for NIKON 5, NIKON 6
- Remote driver is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4
- Remote IP box is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4


Nikon 2



Light symbol



Product color



Product description

With remote driver / remote IP box - Square - Aluminium frame

Technical information

Lamp	7 LED
Lamp type	LED
Dimming type	DALI, On/Off, 1-10V
EEC	A++
Material	Aluminium
Weight	0.6 kg

Luminaire	
Power	13 W
Lumen	888 - 1045 lm
Efficacy	68 - 80 lm/W
CCT	3000K, 4000K
Drive current	500 mA
Optic	N [18°], M [28°], W [39°]

We reserve the right to make technical and design changes.

10:16, 07-02-2020

<https://www.ligman.com/nikon-2-ni-80511-a/>

EUROPE
LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC
LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

NIKON 2 (NI-80511-A)

Variant reference	Variant name	Lumen (Luminaire)
NI-80511-A-N-W30-DA-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 3000K - DALI - Black	976 lm
NI-80511-A-N-W40-DA-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 4000K - DALI - Black	1045 lm
NI-80511-A-N-W30-DA-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 3000K - DALI - Dark Grey	976 lm
NI-80511-A-N-W40-DA-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 4000K - DALI - Dark Grey	1045 lm
NI-80511-A-N-W30-ND-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 3000K - On/Off - Bronze	976 lm
NI-80511-A-N-W40-ND-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 4000K - On/Off - Bronze	1045 lm
NI-80511-A-N-W30-DI-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 3000K - 1-10V - Bronze	976 lm
NI-80511-A-N-W40-DI-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 4000K - 1-10V - Bronze	1045 lm
NI-80511-A-N-W30-DA-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 3000K - DALI - White	976 lm
NI-80511-A-N-W40-DA-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 4000K - DALI - White	1045 lm
NI-80511-A-N-W30-ND-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 3000K - On/Off - Black	976 lm
NI-80511-A-N-W40-ND-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 4000K - On/Off - Black	1045 lm
NI-80511-A-N-W30-DA-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 3000K - DALI - Bronze	976 lm
NI-80511-A-N-W40-DA-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 4000K - DALI - Bronze	1045 lm
NI-80511-A-N-W30-DI-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 3000K - 1-10V - White	976 lm
NI-80511-A-N-W40-DI-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 4000K - 1-10V - White	1045 lm
NI-80511-A-N-W30-DI-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 3000K - 1-10V - Dark Grey	976 lm
NI-80511-A-N-W40-DI-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 4000K - 1-10V - Dark Grey	1045 lm
NI-80511-A-N-W30-ND-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 3000K - On/Off - Matt Silver	976 lm
NI-80511-A-N-W40-ND-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 4000K - On/Off - Matt Silver	1045 lm
NI-80511-A-N-W30-ND-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 3000K - On/Off - White	976 lm
NI-80511-A-N-W40-ND-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 4000K - On/Off - White	1045 lm
NI-80511-A-N-W30-DI-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 3000K - 1-10V - Black	976 lm
NI-80511-A-N-W40-DI-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 4000K - 1-10V - Black	1045 lm
NI-80511-A-N-W30-ND-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 3000K - On/Off - Dark Grey	976 lm
NI-80511-A-N-W40-ND-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 4000K - On/Off - Dark Grey	1045 lm
NI-80511-A-N-W30-DI-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 3000K - 1-10V - Matt Silver	976 lm
NI-80511-A-N-W40-DI-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 4000K - 1-10V - Matt Silver	1045 lm
NI-80511-A-N-W30-DA-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 3000K - DALI - Matt Silver	976 lm
NI-80511-A-N-W40-DA-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 18° - 4000K - DALI - Matt Silver	1045 lm
NI-80511-A-M-W30-ND-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 3000K - On/Off - Bronze	901 lm
NI-80511-A-M-W40-ND-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 4000K - On/Off - Bronze	965 lm
NI-80511-A-M-W30-ND-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 3000K - On/Off - White	901 lm
NI-80511-A-M-W40-ND-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 4000K - On/Off - White	965 lm
NI-80511-A-M-W30-DA-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 3000K - DALI - Black	901 lm
NI-80511-A-M-W40-DA-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 4000K - DALI - Black	965 lm
NI-80511-A-M-W30-DI-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 3000K - 1-10V - Black	901 lm
NI-80511-A-M-W40-DI-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 4000K - 1-10V - Black	965 lm
NI-80511-A-M-W30-DI-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 3000K - 1-10V - Matt Silver	901 lm
NI-80511-A-M-W40-DI-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 4000K - 1-10V - Matt Silver	965 lm
NI-80511-A-M-W30-DA-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 3000K - DALI - Matt Silver	901 lm
NI-80511-A-M-W40-DA-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 4000K - DALI - Matt Silver	965 lm
NI-80511-A-M-W30-DA-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 3000K - DALI - Bronze	901 lm
NI-80511-A-M-W40-DA-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 4000K - DALI - Bronze	965 lm
NI-80511-A-M-W30-DI-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 3000K - 1-10V - Dark Grey	901 lm
NI-80511-A-M-W40-DI-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 4000K - 1-10V - Dark Grey	965 lm
NI-80511-A-M-W30-DI-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 3000K - 1-10V - White	901 lm
NI-80511-A-M-W40-DI-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 4000K - 1-10V - White	965 lm
NI-80511-A-M-W30-DA-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 3000K - DALI - White	901 lm
NI-80511-A-M-W40-DA-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 4000K - DALI - White	965 lm
NI-80511-A-M-W30-ND-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 3000K - On/Off - Matt Silver	901 lm
NI-80511-A-M-W40-ND-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 4000K - On/Off - Matt Silver	965 lm
NI-80511-A-M-W30-ND-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 3000K - On/Off - Dark Grey	901 lm
NI-80511-A-M-W40-ND-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 4000K - On/Off - Dark Grey	965 lm
NI-80511-A-M-W30-ND-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 3000K - On/Off - Black	901 lm
NI-80511-A-M-W40-ND-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 4000K - On/Off - Black	965 lm
NI-80511-A-M-W30-DA-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 3000K - DALI - Dark Grey	901 lm
NI-80511-A-M-W40-DA-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 4000K - DALI - Dark Grey	965 lm

We reserve the right to make technical and design changes.

10:16, 07-02-2020

<https://www.ligman.com/nikon-2-ni-80511-a/>

EUROPE

LIGMAN EUROPE s.r.o.
VGP Park Ustí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC

LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

NIKON 2 (NI-80511-A)

NI-80511-A-M-W30-DI-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 3000K - 1-10V - Bronze	901 lm
NI-80511-A-M-W40-DI-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 28° - 4000K - 1-10V - Bronze	965 lm
NI-80511-A-W-W40-DA-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 4000K - DALI - Matt Silver	951 lm
NI-80511-A-W-W30-DA-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 3000K - DALI - Matt Silver	888 lm
NI-80511-A-W-W40-DI-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 4000K - 1-10V - Matt Silver	951 lm
NI-80511-A-W-W30-DI-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 3000K - 1-10V - Matt Silver	888 lm
NI-80511-A-W-W40-DI-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 4000K - 1-10V - Black	951 lm
NI-80511-A-W-W30-DI-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 3000K - 1-10V - Black	888 lm
NI-80511-A-W-W40-DI-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 4000K - 1-10V - Dark Grey	951 lm
NI-80511-A-W-W30-DI-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 3000K - 1-10V - Dark Grey	888 lm
NI-80511-A-W-W40-ND-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 4000K - On/Off - White	951 lm
NI-80511-A-W-W30-ND-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 3000K - On/Off - White	888 lm
NI-80511-A-W-W40-DA-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 4000K - DALI - Dark Grey	951 lm
NI-80511-A-W-W30-DA-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 3000K - DALI - Dark Grey	888 lm
NI-80511-A-W-W40-ND-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 4000K - On/Off - Matt Silver	951 lm
NI-80511-A-W-W30-ND-05	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 3000K - On/Off - Matt Silver	888 lm
NI-80511-A-W-W40-ND-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 4000K - On/Off - Black	951 lm
NI-80511-A-W-W30-ND-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 3000K - On/Off - Black	888 lm
NI-80511-A-W-W40-ND-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 4000K - On/Off - Dark Grey	951 lm
NI-80511-A-W-W30-ND-02	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 3000K - On/Off - Dark Grey	888 lm
NI-80511-A-W-W40-DA-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 4000K - DALI - White	951 lm
NI-80511-A-W-W30-DA-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 3000K - DALI - White	888 lm
NI-80511-A-W-W40-DI-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 4000K - 1-10V - White	951 lm
NI-80511-A-W-W30-DI-03	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 3000K - 1-10V - White	888 lm
NI-80511-A-W-W40-DA-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 4000K - DALI - Black	951 lm
NI-80511-A-W-W30-DA-01	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 3000K - DALI - Black	888 lm
NI-80511-A-W-W40-DI-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 4000K - 1-10V - Bronze	951 lm
NI-80511-A-W-W30-DI-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 3000K - 1-10V - Bronze	888 lm
NI-80511-A-W-W40-ND-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 4000K - On/Off - Bronze	951 lm
NI-80511-A-W-W30-ND-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 3000K - On/Off - Bronze	888 lm
NI-80511-A-W-W40-DA-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 4000K - DALI - Bronze	951 lm
NI-80511-A-W-W30-DA-06	NIKON 2 - NI-80511-A - 7 LED - 13 W - 39° - 3000K - DALI - Bronze	888 lm

We reserve the right to make technical and design changes.

10:16, 07-02-2020

<https://www.ligman.com/nikon-2-ni-80511-a/>

EUROPE

LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC

LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com


NIKON 2 (NI-80511-S)




Luminaire structure

- Die-cast aluminium housing pre-treated before powder coating ensuring high corrosion resistance
- 6 mm thick front ring is available in stainless steel or aluminium
- Single cable entry
- Stainless steel fasteners in grade 316
- Durable silicone rubber gasket
- Clear toughened glass
- Include control gear for NIKON 5, NIKON 6
- Remote driver is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4
- Remote IP box is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4

Nikon 2



Light symbol



Product color



Product description

With remote driver / remote IP box - Square - Stainless steel frame

Technical information

Lamp	7 LED
Lamp type	LED
Dimming type	DALI, On/Off, 1-10V
EEC	A++
Material	Stainless Steel
Weight	0.8 kg

Luminaire	
Power	13 W
Lumen	888 - 1045 lm
Efficacy	68 - 80 lm/W
CCT	3000K, 4000K
Drive current	500 mA
Optic	N [18°], M [28°], W [39°]

We reserve the right to make technical and design changes.

02:59, 07-02-2020

<https://www.ligman.com/nikon-2-ni-80511-s/>

EUROPE
 LIGMAN EUROPE s.r.o.
 VGP Park Ústí nad Labem
 P 2 120
 40317, Přestanov
 Czech Republic
 +420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC
 LIGMAN Lighting Co.,Ltd.
 17/2 Moo4 Monthong
 Bangnampreaw
 24150, Chachoengsao
 Thailand
 +66 2 108 6700
info@ligman.com

NIKON 2 (NI-80511-S)

Variant reference	Variant name	Lumen (Luminaire)
NI-80511-S-N-W30-DA	NIKON 2 - NI-80511-S - 7 LED - 13 W - 18° - 3000K - DALI - Stainless Steel	976 lm
NI-80511-S-N-W40-DA	NIKON 2 - NI-80511-S - 7 LED - 13 W - 18° - 4000K - DALI - Stainless Steel	1045 lm
NI-80511-S-N-W30-ND	NIKON 2 - NI-80511-S - 7 LED - 13 W - 18° - 3000K - On/Off - Stainless Steel	976 lm
NI-80511-S-N-W40-ND	NIKON 2 - NI-80511-S - 7 LED - 13 W - 18° - 4000K - On/Off - Stainless Steel	1045 lm
NI-80511-S-N-W30-DI	NIKON 2 - NI-80511-S - 7 LED - 13 W - 18° - 3000K - 1-10V - Stainless Steel	976 lm
NI-80511-S-N-W40-DI	NIKON 2 - NI-80511-S - 7 LED - 13 W - 18° - 4000K - 1-10V - Stainless Steel	1045 lm
NI-80511-S-M-W30-DA	NIKON 2 - NI-80511-S - 7 LED - 13 W - 28° - 3000K - DALI - Stainless Steel	901 lm
NI-80511-S-M-W40-DA	NIKON 2 - NI-80511-S - 7 LED - 13 W - 28° - 4000K - DALI - Stainless Steel	965 lm
NI-80511-S-M-W30-ND	NIKON 2 - NI-80511-S - 7 LED - 13 W - 28° - 3000K - On/Off - Stainless Steel	901 lm
NI-80511-S-M-W40-ND	NIKON 2 - NI-80511-S - 7 LED - 13 W - 28° - 4000K - On/Off - Stainless Steel	965 lm
NI-80511-S-M-W30-DI	NIKON 2 - NI-80511-S - 7 LED - 13 W - 28° - 3000K - 1-10V - Stainless Steel	901 lm
NI-80511-S-M-W40-DI	NIKON 2 - NI-80511-S - 7 LED - 13 W - 28° - 4000K - 1-10V - Stainless Steel	965 lm
NI-80511-S-W-W30-DA	NIKON 2 - NI-80511-S - 7 LED - 13 W - 39° - 3000K - DALI - Stainless Steel	888 lm
NI-80511-S-W-W40-DA	NIKON 2 - NI-80511-S - 7 LED - 13 W - 39° - 4000K - DALI - Stainless Steel	951 lm
NI-80511-S-W-W30-ND	NIKON 2 - NI-80511-S - 7 LED - 13 W - 39° - 3000K - On/Off - Stainless Steel	888 lm
NI-80511-S-W-W40-ND	NIKON 2 - NI-80511-S - 7 LED - 13 W - 39° - 4000K - On/Off - Stainless Steel	951 lm
NI-80511-S-W-W30-DI	NIKON 2 - NI-80511-S - 7 LED - 13 W - 39° - 3000K - 1-10V - Stainless Steel	888 lm
NI-80511-S-W-W40-DI	NIKON 2 - NI-80511-S - 7 LED - 13 W - 39° - 4000K - 1-10V - Stainless Steel	951 lm

We reserve the right to make technical and design changes.

02:59, 07-02-2020

<https://www.ligman.com/nikon-2-ni-80511-s/>

EUROPE

LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC

LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com


NIKON 2 (NI-80513-A)



Luminaire structure

- Die-cast aluminium housing pre-treated before powder coating ensuring high corrosion resistance
- 6 mm thick front ring is available in stainless steel or aluminium
- Single cable entry
- Stainless steel fasteners in grade 316
- Durable silicone rubber gasket
- Clear toughened glass
- Include control gear for NIKON 5, NIKON 6
- Remote driver is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4
- Remote IP box is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4

Nikon 2



Light symbol



VN

Product color



- 01 Black RAL 9011
 - 03 White RAL 9003
 - 05 Matt Silver RAL 9006
 - 02 Dark Grey RAL 7043



- 06 Bronze RAL 6014

Product description

With remote driver / remote IP box - Square - Aluminium frame

Technical information

Lamp	1 LED
Lamp type	LED
Dimming type	1-10V, DALI, On/Off
EEC	A++
Material	Aluminium
Weight	0.6 kg

Luminaire	
Power	11 W
Lumen	640 - 753 lm
Efficacy	58 - 68 lm/W
CCT	4000K, 3000K
Drive current	700 mA
Optic	VN [8°]

We reserve the right to make technical and design changes.

10:16, 07-02-2020

<https://www.ligman.com/nikon-2-ni-80513-a/>

EUROPE
 LIGMAN EUROPE s.r.o.
 VGP Park Ústí nad Labem
 P 2 120
 40317, Přestanov
 Czech Republic
 +420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC
 LIGMAN Lighting Co.,Ltd.
 17/2 Moo4 Monthong
 Bangnampreaw
 24150, Chachoengsao
 Thailand
 +66 2 108 6700
info@ligman.com


NIKON 2 (NI-80513-A)

Variant reference	Variant name	Lumen (Luminaire)
NI-80513-A-VN-W40-DI-01	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 4000K - 1-10V - Black	753 lm
NI-80513-A-VN-W30-DI-01	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 3000K - 1-10V - Black	640 lm
NI-80513-A-VN-W40-DI-03	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 4000K - 1-10V - White	753 lm
NI-80513-A-VN-W30-DI-03	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 3000K - 1-10V - White	640 lm
NI-80513-A-VN-W40-DI-05	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 4000K - 1-10V - Matt Silver	753 lm
NI-80513-A-VN-W30-DI-05	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 3000K - 1-10V - Matt Silver	640 lm
NI-80513-A-VN-W40-DA-02	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 4000K - DALI - Dark Grey	753 lm
NI-80513-A-VN-W30-DA-02	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 3000K - DALI - Dark Grey	640 lm
NI-80513-A-VN-W40-DA-06	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 4000K - DALI - Bronze	753 lm
NI-80513-A-VN-W30-DA-06	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 3000K - DALI - Bronze	640 lm
NI-80513-A-VN-W40-DA-03	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 4000K - DALI - White	753 lm
NI-80513-A-VN-W30-DA-03	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 3000K - DALI - White	640 lm
NI-80513-A-VN-W40-DA-01	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 4000K - DALI - Black	753 lm
NI-80513-A-VN-W30-DA-01	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 3000K - DALI - Black	640 lm
NI-80513-A-VN-W40-ND-03	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 4000K - On/Off - White	753 lm
NI-80513-A-VN-W30-ND-03	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 3000K - On/Off - White	640 lm
NI-80513-A-VN-W40-DI-06	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 4000K - 1-10V - Bronze	753 lm
NI-80513-A-VN-W30-DI-06	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 3000K - 1-10V - Bronze	640 lm
NI-80513-A-VN-W40-ND-05	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 4000K - On/Off - Matt Silver	753 lm
NI-80513-A-VN-W30-ND-05	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 3000K - On/Off - Matt Silver	640 lm
NI-80513-A-VN-W40-DI-02	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 4000K - 1-10V - Dark Grey	753 lm
NI-80513-A-VN-W30-DI-02	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 3000K - 1-10V - Dark Grey	640 lm
NI-80513-A-VN-W40-ND-01	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 4000K - On/Off - Black	753 lm
NI-80513-A-VN-W30-ND-01	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 3000K - On/Off - Black	640 lm
NI-80513-A-VN-W40-ND-06	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 4000K - On/Off - Bronze	753 lm
NI-80513-A-VN-W30-ND-06	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 3000K - On/Off - Bronze	640 lm
NI-80513-A-VN-W40-ND-02	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 4000K - On/Off - Dark Grey	753 lm
NI-80513-A-VN-W30-ND-02	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 3000K - On/Off - Dark Grey	640 lm
NI-80513-A-VN-W40-DA-05	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 4000K - DALI - Matt Silver	753 lm
NI-80513-A-VN-W30-DA-05	NIKON 2 - NI-80513-A - 1 LED - 11 W - 8° - 3000K - DALI - Matt Silver	640 lm

EUROPE

ASIA PACIFIC


NIKON 2 (NI-80513-S)



Luminaire structure

- Die-cast aluminium housing pre-treated before powder coating ensuring high corrosion resistance
- 6 mm thick front ring is available in stainless steel or aluminium
- Single cable entry
- Stainless steel fasteners in grade 316
- Durable silicone rubber gasket
- Clear toughened glass
- Include control gear for NIKON 5, NIKON 6
- Remote driver is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4
- Remote IP box is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4

Nikon 2



Light symbol



VN

Product color



- 00
Stainless Steel

Product description

With remote driver / remote IP box - Square - Stainless steel frame

Technical information

Lamp	1 LED
Lamp type	LED
Dimming type	DALI, 1-10V, On/Off
EEC	A++
Material	Stainless Steel
Weight	0.8 kg

Luminaire	
Power	11 W
Lumen	640 - 753 lm
Efficacy	58 - 68 lm/W
CCT	3000K, 4000K
Drive current	700 mA
Optic	VN [8°]

NIKON 2 (NI-80513-S)

Variant reference	Variant name	Lumen (Luminaire)
NI-80513-S-VN-W30-DA	NIKON 2 - NI-80513-S - 1 LED - 11 W - 8° - 3000K - DALI - Stainless Steel	640 lm
NI-80513-S-VN-W40-DA	NIKON 2 - NI-80513-S - 1 LED - 11 W - 8° - 4000K - DALI - Stainless Steel	753 lm
NI-80513-S-VN-W30-DI	NIKON 2 - NI-80513-S - 1 LED - 11 W - 8° - 3000K - 1-10V - Stainless Steel	640 lm
NI-80513-S-VN-W40-DI	NIKON 2 - NI-80513-S - 1 LED - 11 W - 8° - 4000K - 1-10V - Stainless Steel	753 lm
NI-80513-S-VN-W30-ND	NIKON 2 - NI-80513-S - 1 LED - 11 W - 8° - 3000K - On/Off - Stainless Steel	640 lm
NI-80513-S-VN-W40-ND	NIKON 2 - NI-80513-S - 1 LED - 11 W - 8° - 4000K - On/Off - Stainless Steel	753 lm

We reserve the right to make technical and design changes.

10:16, 07-02-2020

<https://www.ligman.com/nikon-2-ni-80513-s/>

EUROPE

LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC

LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com