

NIKON 3 (NI-80521-A)




Luminaire structure


- Die-cast aluminium housing pre-treated before powder coating ensuring high corrosion resistance
- 6 mm thick front ring is available in stainless steel or aluminium
- Single cable entry
- Stainless steel fasteners in grade 316
- Durable silicone rubber gasket
- Clear toughened glass
- Include control gear for NIKON 5, NIKON 6
- Remote driver is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4
- Remote IP box is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4



Nikon 3



Light symbol



Product color



Product description

With remote driver / remote IP box - Round - Aluminium frame

Technical information

Lamp	18 LED
Lamp type	LED
Dimming type	1-10V, On/Off, DALI
EEC	A+
Material	Aluminium
Weight	2.3 kg

Luminaire	
Power	29 W
Lumen	2689 - 3144 lm
Efficacy	93 - 108 lm/W
CCT	3000K, 4000K
Drive current	500 mA
Optic	N [15°], M [27°], W [44°]

We reserve the right to make technical and design changes.

10:19, 07-02-2020

<https://www.ligman.com/nikon-3-ni-80521-a/>

EUROPE
LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC
LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

NIKON 3 (NI-80521-A)

Variant reference	Variant name	Lumen (Luminaire)
NI-80521-A-N-W30-DI-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 3000K - 1-10V - Bronze	2937 lm
NI-80521-A-N-W40-DI-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 4000K - 1-10V - Bronze	3144 lm
NI-80521-A-N-W30-ND-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 3000K - On/Off - White	2937 lm
NI-80521-A-N-W40-ND-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 4000K - On/Off - White	3144 lm
NI-80521-A-N-W30-ND-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 3000K - On/Off - Dark Grey	2937 lm
NI-80521-A-N-W40-ND-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 4000K - On/Off - Dark Grey	3144 lm
NI-80521-A-N-W30-DI-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 3000K - 1-10V - Black	2937 lm
NI-80521-A-N-W40-DI-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 4000K - 1-10V - Black	3144 lm
NI-80521-A-N-W30-ND-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 3000K - On/Off - Black	2937 lm
NI-80521-A-N-W40-ND-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 4000K - On/Off - Black	3144 lm
NI-80521-A-N-W30-DI-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 3000K - 1-10V - Dark Grey	2937 lm
NI-80521-A-N-W40-DI-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 4000K - 1-10V - Dark Grey	3144 lm
NI-80521-A-N-W30-ND-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 3000K - On/Off - Matt Silver	2937 lm
NI-80521-A-N-W40-ND-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 4000K - On/Off - Matt Silver	3144 lm
NI-80521-A-N-W30-DA-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 3000K - DALI - Matt Silver	2937 lm
NI-80521-A-N-W40-DA-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 4000K - DALI - Matt Silver	3144 lm
NI-80521-A-N-W30-ND-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 3000K - On/Off - Bronze	2937 lm
NI-80521-A-N-W40-ND-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 4000K - On/Off - Bronze	3144 lm
NI-80521-A-N-W30-DA-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 3000K - DALI - Bronze	2937 lm
NI-80521-A-N-W40-DA-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 4000K - DALI - Bronze	3144 lm
NI-80521-A-N-W30-DI-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 3000K - 1-10V - Matt Silver	2937 lm
NI-80521-A-N-W40-DI-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 4000K - 1-10V - Matt Silver	3144 lm
NI-80521-A-N-W30-DA-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 3000K - DALI - White	2937 lm
NI-80521-A-N-W40-DA-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 4000K - DALI - White	3144 lm
NI-80521-A-N-W30-DI-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 3000K - 1-10V - White	2937 lm
NI-80521-A-N-W40-DI-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 4000K - 1-10V - White	3144 lm
NI-80521-A-N-W30-DA-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 3000K - DALI - Dark Grey	2937 lm
NI-80521-A-N-W40-DA-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 4000K - DALI - Dark Grey	3144 lm
NI-80521-A-N-W30-DA-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 3000K - DALI - Black	2937 lm
NI-80521-A-N-W40-DA-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 15° - 4000K - DALI - Black	3144 lm
NI-80521-A-M-W30-DA-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 3000K - DALI - Bronze	2909 lm
NI-80521-A-M-W40-DA-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 4000K - DALI - Bronze	3114 lm
NI-80521-A-M-W30-DA-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 3000K - DALI - White	2909 lm
NI-80521-A-M-W40-DA-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 4000K - DALI - White	3114 lm
NI-80521-A-M-W30-ND-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 3000K - On/Off - Black	2909 lm
NI-80521-A-M-W40-ND-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 4000K - On/Off - Black	3114 lm
NI-80521-A-M-W30-DA-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 3000K - DALI - Dark Grey	2909 lm
NI-80521-A-M-W40-DA-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 4000K - DALI - Dark Grey	3114 lm
NI-80521-A-M-W30-ND-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 3000K - On/Off - Dark Grey	2909 lm
NI-80521-A-M-W40-ND-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 4000K - On/Off - Dark Grey	3114 lm
NI-80521-A-M-W30-ND-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 3000K - On/Off - Bronze	2909 lm
NI-80521-A-M-W40-ND-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 4000K - On/Off - Bronze	3114 lm
NI-80521-A-M-W30-ND-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 3000K - On/Off - Matt Silver	2909 lm
NI-80521-A-M-W40-ND-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 4000K - On/Off - Matt Silver	3114 lm
NI-80521-A-M-W30-DA-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 3000K - DALI - Matt Silver	2909 lm
NI-80521-A-M-W40-DA-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 4000K - DALI - Matt Silver	3114 lm
NI-80521-A-M-W30-DI-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 3000K - 1-10V - Bronze	2909 lm
NI-80521-A-M-W40-DI-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 4000K - 1-10V - Bronze	3114 lm
NI-80521-A-M-W30-DA-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 3000K - DALI - Black	2909 lm
NI-80521-A-M-W40-DA-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 4000K - DALI - Black	3114 lm
NI-80521-A-M-W30-DI-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 3000K - 1-10V - White	2909 lm
NI-80521-A-M-W40-DI-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 4000K - 1-10V - White	3114 lm
NI-80521-A-M-W30-DI-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 3000K - 1-10V - Matt Silver	2909 lm
NI-80521-A-M-W40-DI-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 4000K - 1-10V - Matt Silver	3114 lm
NI-80521-A-M-W30-DA-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 3000K - DALI - Dark Grey	2909 lm
NI-80521-A-M-W40-DA-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 4000K - DALI - Dark Grey	3114 lm
NI-80521-A-M-W30-DI-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 3000K - 1-10V - Black	2909 lm
NI-80521-A-M-W40-DI-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 4000K - 1-10V - Black	3114 lm

We reserve the right to make technical and design changes.

10:19, 07-02-2020

<https://www.ligman.com/nikon-3-ni-80521-a/>

EUROPE

LIGMAN EUROPE s.r.o.
VGP Park Ustí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC

LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

NIKON 3 (NI-80521-A)

NI-80521-A-M-W30-ND-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 3000K - On/Off - White	2909 lm
NI-80521-A-M-W40-ND-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 27° - 4000K - On/Off - White	3114 lm
NI-80521-A-W-W40-DA-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 4000K - DALI - Bronze	2879 lm
NI-80521-A-W-W30-DA-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 3000K - DALI - Bronze	2689 lm
NI-80521-A-W-W40-DA-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 4000K - DALI - Black	2879 lm
NI-80521-A-W-W30-DA-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 3000K - DALI - Black	2689 lm
NI-80521-A-W-W40-DA-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 4000K - DALI - Dark Grey	2879 lm
NI-80521-A-W-W30-DA-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 3000K - DALI - Dark Grey	2689 lm
NI-80521-A-W-W40-ND-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 4000K - On/Off - Matt Silver	2879 lm
NI-80521-A-W-W30-ND-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 3000K - On/Off - Matt Silver	2689 lm
NI-80521-A-W-W40-DI-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 4000K - 1-10V - White	2879 lm
NI-80521-A-W-W30-DI-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 3000K - 1-10V - White	2689 lm
NI-80521-A-W-W40-DA-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 4000K - DALI - White	2879 lm
NI-80521-A-W-W30-DA-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 3000K - DALI - White	2689 lm
NI-80521-A-W-W40-DI-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 4000K - 1-10V - Bronze	2879 lm
NI-80521-A-W-W30-DI-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 3000K - 1-10V - Bronze	2689 lm
NI-80521-A-W-W40-DI-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 4000K - 1-10V - Matt Silver	2879 lm
NI-80521-A-W-W30-DI-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 3000K - 1-10V - Matt Silver	2689 lm
NI-80521-A-W-W40-ND-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 4000K - On/Off - White	2879 lm
NI-80521-A-W-W30-ND-03	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 3000K - On/Off - White	2689 lm
NI-80521-A-W-W40-ND-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 4000K - On/Off - Bronze	2879 lm
NI-80521-A-W-W30-ND-06	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 3000K - On/Off - Bronze	2689 lm
NI-80521-A-W-W40-DI-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 4000K - 1-10V - Dark Grey	2879 lm
NI-80521-A-W-W30-DI-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 3000K - 1-10V - Dark Grey	2689 lm
NI-80521-A-W-W40-DA-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 4000K - DALI - Matt Silver	2879 lm
NI-80521-A-W-W30-DA-05	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 3000K - DALI - Matt Silver	2689 lm
NI-80521-A-W-W40-ND-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 4000K - On/Off - Dark Grey	2879 lm
NI-80521-A-W-W30-ND-02	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 3000K - On/Off - Dark Grey	2689 lm
NI-80521-A-W-W40-DI-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 4000K - 1-10V - Black	2879 lm
NI-80521-A-W-W30-DI-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 3000K - 1-10V - Black	2689 lm
NI-80521-A-W-W40-ND-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 4000K - On/Off - Black	2879 lm
NI-80521-A-W-W30-ND-01	NIKON 3 - NI-80521-A - 18 LED - 29 W - 44° - 3000K - On/Off - Black	2689 lm

We reserve the right to make technical and design changes.

10:19, 07-02-2020

<https://www.ligman.com/nikon-3-ni-80521-a/>


EUROPE

LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC

LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com


NIKON 3 (NI-80521-S)




Luminaire structure

- Die-cast aluminium housing pre-treated before powder coating ensuring high corrosion resistance
- 6 mm thick front ring is available in stainless steel or aluminium
- Single cable entry
- Stainless steel fasteners in grade 316
- Durable silicone rubber gasket
- Clear toughened glass
- Include control gear for NIKON 5, NIKON 6
- Remote driver is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4
- Remote IP box is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4


Nikon 3



Light symbol



Product color



Product description

With remote driver / remote IP box - Round - Stainless steel frame

Technical information

Lamp	18 LED
Lamp type	LED
Dimming type	1-10V, DALI, On/Off
EEC	A+
Material	Stainless Steel
Weight	2.6 kg

Luminaire	
Power	29 W
Lumen	2689 - 3144 lm
Efficacy	93 - 108 lm/W
CCT	3000K, 4000K
Drive current	500 mA
Optic	N [15°], M [27°], W [44°]

NIKON 3 (NI-80521-S)

Variant reference	Variant name	Lumen (Luminaire)
NI-80521-S-N-W30-DI	NIKON 3 - NI-80521-S - 18 LED - 29 W - 15° - 3000K - 1-10V - Stainless Steel	2937 lm
NI-80521-S-N-W40-DI	NIKON 3 - NI-80521-S - 18 LED - 29 W - 15° - 4000K - 1-10V - Stainless Steel	3144 lm
NI-80521-S-N-W30-DA	NIKON 3 - NI-80521-S - 18 LED - 29 W - 15° - 3000K - DALI - Stainless Steel	2937 lm
NI-80521-S-N-W40-DA	NIKON 3 - NI-80521-S - 18 LED - 29 W - 15° - 4000K - DALI - Stainless Steel	3144 lm
NI-80521-S-N-W30-ND	NIKON 3 - NI-80521-S - 18 LED - 29 W - 15° - 3000K - On/Off - Stainless Steel	2937 lm
NI-80521-S-N-W40-ND	NIKON 3 - NI-80521-S - 18 LED - 29 W - 15° - 4000K - On/Off - Stainless Steel	3144 lm
NI-80521-S-M-W30-DI	NIKON 3 - NI-80521-S - 18 LED - 29 W - 27° - 3000K - 1-10V - Stainless Steel	2909 lm
NI-80521-S-M-W40-DI	NIKON 3 - NI-80521-S - 18 LED - 29 W - 27° - 4000K - 1-10V - Stainless Steel	3114 lm
NI-80521-S-M-W30-DA	NIKON 3 - NI-80521-S - 18 LED - 29 W - 27° - 3000K - DALI - Stainless Steel	2909 lm
NI-80521-S-M-W40-DA	NIKON 3 - NI-80521-S - 18 LED - 29 W - 27° - 4000K - DALI - Stainless Steel	3114 lm
NI-80521-S-M-W30-ND	NIKON 3 - NI-80521-S - 18 LED - 29 W - 27° - 3000K - On/Off - Stainless Steel	2909 lm
NI-80521-S-M-W40-ND	NIKON 3 - NI-80521-S - 18 LED - 29 W - 27° - 4000K - On/Off - Stainless Steel	3114 lm
NI-80521-S-W-W30-ND	NIKON 3 - NI-80521-S - 18 LED - 29 W - 44° - 3000K - On/Off - Stainless Steel	2689 lm
NI-80521-S-W-W40-ND	NIKON 3 - NI-80521-S - 18 LED - 29 W - 44° - 4000K - On/Off - Stainless Steel	2879 lm
NI-80521-S-W-W30-DA	NIKON 3 - NI-80521-S - 18 LED - 29 W - 44° - 3000K - DALI - Stainless Steel	2689 lm
NI-80521-S-W-W40-DA	NIKON 3 - NI-80521-S - 18 LED - 29 W - 44° - 4000K - DALI - Stainless Steel	2879 lm
NI-80521-S-W-W30-DI	NIKON 3 - NI-80521-S - 18 LED - 29 W - 44° - 3000K - 1-10V - Stainless Steel	2689 lm
NI-80521-S-W-W40-DI	NIKON 3 - NI-80521-S - 18 LED - 29 W - 44° - 4000K - 1-10V - Stainless Steel	2879 lm

We reserve the right to make technical and design changes.

10:19, 07-02-2020

<https://www.ligman.com/nikon-3-ni-80521-s/>

EUROPE

LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC

LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

NIKON 3 (NI-80523-A)




Luminaire structure


- Die-cast aluminium housing pre-treated before powder coating ensuring high corrosion resistance
- 6 mm thick front ring is available in stainless steel or aluminium
- Single cable entry
- Stainless steel fasteners in grade 316
- Durable silicone rubber gasket
- Clear toughened glass
- Include control gear for NIKON 5, NIKON 6
- Remote driver is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4
- Remote IP box is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4




Nikon 3



Light symbol



Product color



Product description

With remote driver / remote IP box - Round - Aluminium frame

Technical information

Lamp	24 LED
Lamp type	LED
Dimming type	DALI, On/Off, 1-10V
EEC	A+
Material	Aluminium
Weight	2.3 kg

Luminaire	
Power	39 W
Lumen	3794 - 4303 lm
Efficacy	97 - 110 lm/W
CCT	3000K, 4000K
Drive current	500 mA
Optic	N [15°], M [26°], W [45°]

We reserve the right to make technical and design changes.

08:49, 07-02-2020

<https://www.ligman.com/nikon-3-ni-80523-a/>

EUROPE
LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC
LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

NIKON 3 (NI-80523-A)

Variant reference	Variant name	Lumen (Luminaire)
NI-80523-A-N-W30-DA-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 3000K - DALI - Black	4019 lm
NI-80523-A-N-W40-DA-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 4000K - DALI - Black	4303 lm
NI-80523-A-N-W30-DA-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 3000K - DALI - Bronze	4019 lm
NI-80523-A-N-W40-DA-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 4000K - DALI - Bronze	4303 lm
NI-80523-A-N-W30-ND-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 3000K - On/Off - Black	4019 lm
NI-80523-A-N-W40-ND-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 4000K - On/Off - Black	4303 lm
NI-80523-A-N-W30-DI-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 3000K - 1-10V - White	4019 lm
NI-80523-A-N-W40-DI-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 4000K - 1-10V - White	4303 lm
NI-80523-A-N-W30-ND-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 3000K - On/Off - Dark Grey	4019 lm
NI-80523-A-N-W40-ND-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 4000K - On/Off - Dark Grey	4303 lm
NI-80523-A-N-W30-DA-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 3000K - DALI - White	4019 lm
NI-80523-A-N-W40-DA-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 4000K - DALI - White	4303 lm
NI-80523-A-N-W30-DI-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 3000K - 1-10V - Dark Grey	4019 lm
NI-80523-A-N-W40-DI-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 4000K - 1-10V - Dark Grey	4303 lm
NI-80523-A-N-W30-ND-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 3000K - On/Off - Bronze	4019 lm
NI-80523-A-N-W40-ND-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 4000K - On/Off - Bronze	4303 lm
NI-80523-A-N-W30-ND-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 3000K - On/Off - Matt Silver	4019 lm
NI-80523-A-N-W40-ND-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 4000K - On/Off - Matt Silver	4303 lm
NI-80523-A-N-W30-DA-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 3000K - DALI - Matt Silver	4019 lm
NI-80523-A-N-W40-DA-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 4000K - DALI - Matt Silver	4303 lm
NI-80523-A-N-W30-DA-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 3000K - DALI - Dark Grey	4019 lm
NI-80523-A-N-W40-DA-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 4000K - DALI - Dark Grey	4303 lm
NI-80523-A-N-W30-DI-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 3000K - 1-10V - Bronze	4019 lm
NI-80523-A-N-W40-DI-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 4000K - 1-10V - Bronze	4303 lm
NI-80523-A-N-W30-ND-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 3000K - On/Off - White	4019 lm
NI-80523-A-N-W40-ND-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 4000K - On/Off - White	4303 lm
NI-80523-A-N-W30-DI-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 3000K - 1-10V - Black	4019 lm
NI-80523-A-N-W40-DI-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 4000K - 1-10V - Black	4303 lm
NI-80523-A-N-W30-DI-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 3000K - 1-10V - Matt Silver	4019 lm
NI-80523-A-N-W40-DI-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 15° - 4000K - 1-10V - Matt Silver	4303 lm
NI-80523-A-M-W30-ND-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 3000K - On/Off - Matt Silver	4016 lm
NI-80523-A-M-W40-ND-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 4000K - On/Off - Matt Silver	4299 lm
NI-80523-A-M-W30-ND-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 3000K - On/Off - Dark Grey	4016 lm
NI-80523-A-M-W40-ND-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 4000K - On/Off - Dark Grey	4299 lm
NI-80523-A-M-W30-ND-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 3000K - On/Off - Black	4016 lm
NI-80523-A-M-W40-ND-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 4000K - On/Off - Black	4299 lm
NI-80523-A-M-W30-DI-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 3000K - 1-10V - White	4016 lm
NI-80523-A-M-W40-DI-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 4000K - 1-10V - White	4299 lm
NI-80523-A-M-W30-ND-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 3000K - On/Off - Bronze	4016 lm
NI-80523-A-M-W40-ND-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 4000K - On/Off - Bronze	4299 lm
NI-80523-A-M-W30-DA-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 3000K - DALI - Matt Silver	4016 lm
NI-80523-A-M-W40-DA-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 4000K - DALI - Matt Silver	4299 lm
NI-80523-A-M-W30-DA-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 3000K - DALI - Bronze	4016 lm
NI-80523-A-M-W40-DA-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 4000K - DALI - Bronze	4299 lm
NI-80523-A-M-W30-DI-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 3000K - 1-10V - Black	4016 lm
NI-80523-A-M-W40-DI-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 4000K - 1-10V - Black	4299 lm
NI-80523-A-M-W30-DA-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 3000K - DALI - Dark Grey	4016 lm
NI-80523-A-M-W40-DA-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 4000K - DALI - Dark Grey	4299 lm
NI-80523-A-M-W30-DI-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 3000K - 1-10V - Matt Silver	4016 lm
NI-80523-A-M-W40-DI-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 4000K - 1-10V - Matt Silver	4299 lm
NI-80523-A-M-W30-DA-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 3000K - DALI - White	4016 lm
NI-80523-A-M-W40-DA-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 4000K - DALI - White	4299 lm
NI-80523-A-M-W30-DI-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 3000K - 1-10V - Bronze	4016 lm
NI-80523-A-M-W40-DI-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 4000K - 1-10V - Bronze	4299 lm
NI-80523-A-M-W30-DA-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 3000K - DALI - Black	4016 lm
NI-80523-A-M-W40-DA-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 4000K - DALI - Black	4299 lm
NI-80523-A-M-W30-DI-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 3000K - 1-10V - Dark Grey	4016 lm
NI-80523-A-M-W40-DI-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 4000K - 1-10V - Dark Grey	4299 lm

We reserve the right to make technical and design changes.

08:49, 07-02-2020

<https://www.ligman.com/nikon-3-ni-80523-a/>

EUROPE

LIGMAN EUROPE s.r.o.
VGP Park Ustí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC

LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

NIKON 3 (NI-80523-A)

NI-80523-A-M-W30-ND-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 3000K - On/Off - White	4016 lm
NI-80523-A-M-W40-ND-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 26° - 4000K - On/Off - White	4299 lm
NI-80523-A-W-W40-ND-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 4000K - On/Off - White	4062 lm
NI-80523-A-W-W30-ND-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 3000K - On/Off - White	3794 lm
NI-80523-A-W-W40-DI-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 4000K - 1-10V - Black	4062 lm
NI-80523-A-W-W30-DI-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 3000K - 1-10V - Black	3794 lm
NI-80523-A-W-W40-DI-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 4000K - 1-10V - Matt Silver	4062 lm
NI-80523-A-W-W30-DI-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 3000K - 1-10V - Matt Silver	3794 lm
NI-80523-A-W-W40-DI-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 4000K - 1-10V - Dark Grey	4062 lm
NI-80523-A-W-W30-DI-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 3000K - 1-10V - Dark Grey	3794 lm
NI-80523-A-W-W40-ND-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 4000K - On/Off - Matt Silver	4062 lm
NI-80523-A-W-W30-ND-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 3000K - On/Off - Matt Silver	3794 lm
NI-80523-A-W-W40-DI-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 4000K - 1-10V - Bronze	4062 lm
NI-80523-A-W-W30-DI-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 3000K - 1-10V - Bronze	3794 lm
NI-80523-A-W-W40-DA-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 4000K - DALI - Matt Silver	4062 lm
NI-80523-A-W-W30-DA-05	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 3000K - DALI - Matt Silver	3794 lm
NI-80523-A-W-W40-DA-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 4000K - DALI - Bronze	4062 lm
NI-80523-A-W-W30-DA-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 3000K - DALI - Bronze	3794 lm
NI-80523-A-W-W40-ND-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 4000K - On/Off - Dark Grey	4062 lm
NI-80523-A-W-W30-ND-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 3000K - On/Off - Dark Grey	3794 lm
NI-80523-A-W-W40-DA-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 4000K - DALI - Black	4062 lm
NI-80523-A-W-W30-DA-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 3000K - DALI - Black	3794 lm
NI-80523-A-W-W40-ND-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 4000K - On/Off - Black	4062 lm
NI-80523-A-W-W30-ND-01	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 3000K - On/Off - Black	3794 lm
NI-80523-A-W-W40-DA-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 4000K - DALI - White	4062 lm
NI-80523-A-W-W30-DA-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 3000K - DALI - White	3794 lm
NI-80523-A-W-W40-DI-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 4000K - 1-10V - White	4062 lm
NI-80523-A-W-W30-DI-03	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 3000K - 1-10V - White	3794 lm
NI-80523-A-W-W40-DA-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 4000K - DALI - Dark Grey	4062 lm
NI-80523-A-W-W30-DA-02	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 3000K - DALI - Dark Grey	3794 lm
NI-80523-A-W-W40-ND-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 4000K - On/Off - Bronze	4062 lm
NI-80523-A-W-W30-ND-06	NIKON 3 - NI-80523-A - 24 LED - 39 W - 45° - 3000K - On/Off - Bronze	3794 lm

We reserve the right to make technical and design changes.

08:49, 07-02-2020

<https://www.ligman.com/nikon-3-ni-80523-a/>

EUROPE

LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC

LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com


NIKON 3 (NI-80523-S)




Luminaire structure

- Die-cast aluminium housing pre-treated before powder coating ensuring high corrosion resistance
- 6 mm thick front ring is available in stainless steel or aluminium
- Single cable entry
- Stainless steel fasteners in grade 316
- Durable silicone rubber gasket
- Clear toughened glass
- Include control gear for NIKON 5, NIKON 6
- Remote driver is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4
- Remote IP box is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4


Nikon 3



Light symbol



Product color



Product description

With remote driver / remote IP box - Round - Stainless steel frame

Technical information

Lamp	24 LED
Lamp type	LED
Dimming type	1-10V, DALI, On/Off
EEC	A+
Material	Stainless Steel
Weight	2.6 kg

Luminaire	
Power	39 W
Lumen	3794 - 4303 lm
Efficacy	97 - 110 lm/W
CCT	4000K, 3000K
Drive current	500 mA
Optic	N [15°], M [26°], W [45°]

NIKON 3 (NI-80523-S)

Variant reference	Variant name	Lumen (Luminaire)
NI-80523-S-N-W40-DI	NIKON 3 - NI-80523-S - 24 LED - 39 W - 15° - 4000K - 1-10V - Stainless Steel	4303 lm
NI-80523-S-N-W30-DI	NIKON 3 - NI-80523-S - 24 LED - 39 W - 15° - 3000K - 1-10V - Stainless Steel	4019 lm
NI-80523-S-N-W40-DA	NIKON 3 - NI-80523-S - 24 LED - 39 W - 15° - 4000K - DALI - Stainless Steel	4303 lm
NI-80523-S-N-W30-DA	NIKON 3 - NI-80523-S - 24 LED - 39 W - 15° - 3000K - DALI - Stainless Steel	4019 lm
NI-80523-S-N-W40-ND	NIKON 3 - NI-80523-S - 24 LED - 39 W - 15° - 4000K - On/Off - Stainless Steel	4303 lm
NI-80523-S-N-W30-ND	NIKON 3 - NI-80523-S - 24 LED - 39 W - 15° - 3000K - On/Off - Stainless Steel	4019 lm
NI-80523-S-M-W40-DI	NIKON 3 - NI-80523-S - 24 LED - 39 W - 26° - 4000K - 1-10V - Stainless Steel	4299 lm
NI-80523-S-M-W30-DI	NIKON 3 - NI-80523-S - 24 LED - 39 W - 26° - 3000K - 1-10V - Stainless Steel	4016 lm
NI-80523-S-M-W40-DA	NIKON 3 - NI-80523-S - 24 LED - 39 W - 26° - 4000K - DALI - Stainless Steel	4299 lm
NI-80523-S-M-W30-DA	NIKON 3 - NI-80523-S - 24 LED - 39 W - 26° - 3000K - DALI - Stainless Steel	4016 lm
NI-80523-S-M-W40-ND	NIKON 3 - NI-80523-S - 24 LED - 39 W - 26° - 4000K - On/Off - Stainless Steel	4299 lm
NI-80523-S-M-W30-ND	NIKON 3 - NI-80523-S - 24 LED - 39 W - 26° - 3000K - On/Off - Stainless Steel	4016 lm
NI-80523-S-W-W40-DI	NIKON 3 - NI-80523-S - 24 LED - 39 W - 45° - 4000K - 1-10V - Stainless Steel	4062 lm
NI-80523-S-W-W30-DI	NIKON 3 - NI-80523-S - 24 LED - 39 W - 45° - 3000K - 1-10V - Stainless Steel	3794 lm
NI-80523-S-W-W40-DA	NIKON 3 - NI-80523-S - 24 LED - 39 W - 45° - 4000K - DALI - Stainless Steel	4062 lm
NI-80523-S-W-W30-DA	NIKON 3 - NI-80523-S - 24 LED - 39 W - 45° - 3000K - DALI - Stainless Steel	3794 lm
NI-80523-S-W-W40-ND	NIKON 3 - NI-80523-S - 24 LED - 39 W - 45° - 4000K - On/Off - Stainless Steel	4062 lm
NI-80523-S-W-W30-ND	NIKON 3 - NI-80523-S - 24 LED - 39 W - 45° - 3000K - On/Off - Stainless Steel	3794 lm

We reserve the right to make technical and design changes.

08:47, 07-02-2020

<https://www.ligman.com/nikon-3-ni-80523-s/>

EUROPE

LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC

LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

NIKON 3 (NI-80525-A)




Luminaire structure

- Die-cast aluminium housing pre-treated before powder coating ensuring high corrosion resistance
- 6 mm thick front ring is available in stainless steel or aluminium
- Single cable entry
- Stainless steel fasteners in grade 316
- Durable silicone rubber gasket
- Clear toughened glass
- Include control gear for NIKON 5, NIKON 6
- Remote driver is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4
- Remote IP box is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4



Nikon 3




Light symbol



VN

Product color



- 02
Dark Grey
RAL 7043

Product description

With remote driver / remote IP box - Round - Aluminium frame

Technical information

Lamp	7 LED
Lamp type	LED
Dimming type	1-10V, DALI, On/Off
EEC	A++
Material	Aluminium
Weight	2.3 kg

Luminaire	
Power	33 W
Lumen	3091 - 3320 lm
Efficacy	94 - 101 lm/W
CCT	3000K, 4000K
Drive current	350 mA
Optic	VN [8°]

We reserve the right to make technical and design changes.

10:19, 07-02-2020

<https://www.ligman.com/nikon-3-ni-80525-a/>

EUROPE
LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC
LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangna-preaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

NIKON 3 (NI-80525-A)

Variant reference	Variant name	Lumen (Luminaire)
NI-80525-A-VN-W30-DI-01	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 3000K - 1-10V - Black	3091 lm
NI-80525-A-VN-W40-DI-01	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 4000K - 1-10V - Black	3320 lm
NI-80525-A-VN-W30-DI-06	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 3000K - 1-10V - Bronze	3091 lm
NI-80525-A-VN-W40-DI-06	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 4000K - 1-10V - Bronze	3320 lm
NI-80525-A-VN-W30-DI-03	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 3000K - 1-10V - White	3091 lm
NI-80525-A-VN-W40-DI-03	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 4000K - 1-10V - White	3320 lm
NI-80525-A-VN-W30-DI-05	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 3000K - 1-10V - Matt Silver	3091 lm
NI-80525-A-VN-W40-DI-05	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 4000K - 1-10V - Matt Silver	3320 lm
NI-80525-A-VN-W30-DI-02	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 3000K - 1-10V - Dark Grey	3091 lm
NI-80525-A-VN-W40-DI-02	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 4000K - 1-10V - Dark Grey	3320 lm
NI-80525-A-VN-W30-DA-01	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 3000K - DALI - Black	3091 lm
NI-80525-A-VN-W40-DA-01	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 4000K - DALI - Black	3320 lm
NI-80525-A-VN-W30-DA-06	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 3000K - DALI - Bronze	3091 lm
NI-80525-A-VN-W40-DA-06	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 4000K - DALI - Bronze	3320 lm
NI-80525-A-VN-W30-DA-03	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 3000K - DALI - White	3091 lm
NI-80525-A-VN-W40-DA-03	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 4000K - DALI - White	3320 lm
NI-80525-A-VN-W30-DA-05	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 3000K - DALI - Matt Silver	3091 lm
NI-80525-A-VN-W40-DA-05	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 4000K - DALI - Matt Silver	3320 lm
NI-80525-A-VN-W30-DA-02	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 3000K - DALI - Dark Grey	3091 lm
NI-80525-A-VN-W40-DA-02	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 4000K - DALI - Dark Grey	3320 lm
NI-80525-A-VN-W30-ND-01	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 3000K - On/Off - Black	3091 lm
NI-80525-A-VN-W40-ND-01	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 4000K - On/Off - Black	3320 lm
NI-80525-A-VN-W30-ND-06	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 3000K - On/Off - Bronze	3091 lm
NI-80525-A-VN-W40-ND-06	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 4000K - On/Off - Bronze	3320 lm
NI-80525-A-VN-W30-ND-03	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 3000K - On/Off - White	3091 lm
NI-80525-A-VN-W40-ND-03	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 4000K - On/Off - White	3320 lm
NI-80525-A-VN-W30-ND-05	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 3000K - On/Off - Matt Silver	3091 lm
NI-80525-A-VN-W40-ND-05	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 4000K - On/Off - Matt Silver	3320 lm
NI-80525-A-VN-W30-ND-02	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 3000K - On/Off - Dark Grey	3091 lm
NI-80525-A-VN-W40-ND-02	NIKON 3 - NI-80525-A - 7 LED - 33 W - 8° - 4000K - On/Off - Dark Grey	3320 lm

We reserve the right to make technical and design changes.

10:19, 07-02-2020

<https://www.ligman.com/nikon-3-ni-80525-a/>

EUROPE

LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC

LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

NIKON 3 (NI-80525-S)




Luminaire structure

- Die-cast aluminium housing pre-treated before powder coating ensuring high corrosion resistance
- 6 mm thick front ring is available in stainless steel or aluminium
- Single cable entry
- Stainless steel fasteners in grade 316
- Durable silicone rubber gasket
- Clear toughened glass
- Include control gear for NIKON 5, NIKON 6
- Remote driver is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4
- Remote IP box is included for NIKON 1, NIKON 2, NIKON 3, NIKON 4



NIKON 3
NI-80025-S



Light symbol



VN

Product color



- 00
Stainless Steel

Product description

With remote driver / remote IP box - Round - Stainless steel frame

Technical information

Lamp	7 LED
Lamp type	LED
Dimming type	DALI, 1-10V, On/Off
EEC	A++
Material	Stainless Steel
Weight	2.6 kg

Luminaire	
Power	33 W
Lumen	3091 - 3320 lm
Efficacy	94 - 101 lm/W
CCT	4000K, 3000K
Drive current	350 mA
Optic	VN [8°]

We reserve the right to make technical and design changes.

10:19, 07-02-2020

<https://www.ligman.com/nikon-3-ni-80525-s/>

EUROPE
LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC
LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com

NIKON 3 (NI-80525-S)

Variant reference	Variant name	Lumen (Luminaire)
NI-80525-S-VN-W40-DA	NIKON 3 - NI-80525-S - 7 LED - 33 W - 8° - 4000K - DALI - Stainless Steel	3320 lm
NI-80525-S-VN-W30-DA	NIKON 3 - NI-80525-S - 7 LED - 33 W - 8° - 3000K - DALI - Stainless Steel	3091 lm
NI-80525-S-VN-W40-DI	NIKON 3 - NI-80525-S - 7 LED - 33 W - 8° - 4000K - 1-10V - Stainless Steel	3320 lm
NI-80525-S-VN-W30-DI	NIKON 3 - NI-80525-S - 7 LED - 33 W - 8° - 3000K - 1-10V - Stainless Steel	3091 lm
NI-80525-S-VN-W40-ND	NIKON 3 - NI-80525-S - 7 LED - 33 W - 8° - 4000K - On/Off - Stainless Steel	3320 lm
NI-80525-S-VN-W30-ND	NIKON 3 - NI-80525-S - 7 LED - 33 W - 8° - 3000K - On/Off - Stainless Steel	3091 lm

We reserve the right to make technical and design changes.

10:19, 07-02-2020

<https://www.ligman.com/nikon-3-ni-80525-s/>

EUROPE

LIGMAN EUROPE s.r.o.
VGP Park Ústí nad Labem
P 2 120
40317, Přestanov
Czech Republic
+420 477 071 500
sales.cz@ligman.com

ASIA PACIFIC

LIGMAN Lighting Co.,Ltd.
17/2 Moo4 Monthong
Bangnampreaw
24150, Chachoengsao
Thailand
+66 2 108 6700
info@ligman.com